




Cummings - Shed - 7 Edgewood Parkway Fayetteville, NY 13066 16' by 16', 8' walls, 13' height



Free 16x16 Shed Plans



16x16 Shed Plans



Shed Roof/gables materials

Where used –


Materials

- G – 4 pieces of T1-11 siding – 32"x48" long, 4 pieces – 48"x59 3/4" long SIDING
- H – 2 pieces of 2x6 lumber – 130" long, 1 piece – 185" long, 2 pieces – 21 1/4" long, 1 piece – 48" long 9xTRUSSES
- H – 4 pieces of 2x4 lumber – 7 1/4" long, 4 pieces – 35" long SUPPORTS
- I – 4 pieces of 2x6 lumber – 130" long, 18 pieces – 8" long 2xOVERHANG
- J – 6 pieces of 2x4 lumber – 48"x96" long, 4 pieces – 48"x48" long, 4 piece – 30 3/4"x96" long, 4 pieces – 11 1/2"x96" long, 4 pieces – 11 1/2"x30 3/4" long ROOF

Bill of material -

- 26 pieces of 2x6 lumber – 14'
- 9 pieces of 2x6 lumber – 16'
- 4 pieces of 2x6 lumber – 8'
- 9 pieces of 2x4 lumber – 8'
- 13 pieces of 3/4" plywood – 4'x8'
- 1 piece of 1/2" plywood – 4'x8'
- 4 pieces of T1-11 siding – 4'x8'
- 1 5/8" screws, 2 1/2" screws, 3 1/2" screws
- skid ties
- 6d nails

Tar paper/ Asphalt shingles



Shed sub-floor/floor/walls

Left wall (as you are facing the shed, closest to property line), will be built to comply with the following requirement....

- a. R302.1 Exterior Walls - Construction, projections, openings and penetrations of exterior walls of dwellings and accessory buildings shall comply with Table R302.1(1); or dwellings equipped throughout with an automatic sprinkler system installed in accordance with Section P2904 shall comply with Table R302.1(2).

Where used –

Materials

- A – 6 pieces of 4x4 lumber – 192" long **SKIDS**
- B – 2 pieces of 2x6 lumber – 192" long, 13 pieces – 189" long **FLOOR FRAME**
- C – 6 pieces of 3/4" plywood – 48"x96" long, 4 pieces – 48"x48" long **FLOOR**
- D – 1 piece of 2x4 lumber – 185" long, 1 piece – 192" long, 2 pieces – 56 1/2" long, 8 pieces – 91 1/2" long, 2 pieces – 86" long, 2 pieces – 75" long **FRONT WALL**
- E – 2 pieces of 2x4 lumber – 192" long, 1 piece – 185" long, 11 pieces – 91 1/2" long 2x**SIDE WALLS**
- F – 2 pieces of 2x4 lumber – 113" long, 1 piece – 120" long, 6 pieces – 91 1/2" long **BACK WALL**
- G – 12 pieces of T1-11 siding – 48"x96" long **SIDE WALL**

A and B – pressure treated

Bill of materials –

- 6 pieces of 4x4 lumber – 16'
- 15 pieces of 2x6 lumber – 16'
- 12 pieces of 2x4 lumber – 16'
- 41 pieces of 2x4 lumber – 8'
- 2 pieces of 2x6 lumber – 8'
- 8 pieces of 3/4" plywood – 4'x8'
- 12 pieces of T1-11 siding – 4'x8'
- 1 5/8" screws, 2 1/2" screws, 3 1/2" screws
- skid ties
- joist hanger

Shed Roof/gables materials

NOTE: Roof eaves will be less than 4 inches, in compliance with the following requirement.

“Detached garages accessory to a dwelling located within 2 feet (610 mm) of a lot line are permitted to have roof eave projections not exceeding 4 inches (102 mm).”

Where used –

Materials

- G – 4 pieces of T1-11 siding – 32"x48" long, 4 pieces – 48"x59 3/4" long SIDING
- H – 2 pieces of 2x6 lumber – 130" long, 1 piece – 185" long, 2 pieces – 21 1/4" long, 1 piece – 48" long 9xTRUSSES
- H – 4 pieces of 2x4 lumber – 7 1/4" long, 4 pieces – 35" long SUPPORTS
- I – 4 pieces of 2x6 lumber – 130" long, 18 pieces – 8" long 2xOVERHANG
- J – 6 pieces of 2x4 lumber – 48"x96" long, 4 pieces – 48"x48" long, 4 piece – 30 3/4"x96" long, 4 pieces – 11 1/2"x96" long, 4 pieces – 11 1/2"x30 3/4" long ROOF

Bill of material -

- 26 pieces of 2x6 lumber – 14'
- 9 pieces of 2x6 lumber – 16'
- 4 pieces of 2x6 lumber – 8'
- 9 pieces of 2x4 lumber – 8'
- 13 pieces of 3/4" plywood – 4'x8'
- 1 piece of 1/2" plywood – 4'x8'
- 4 pieces of T1-11 siding – 4'x8'
- 1 5/8" screws, 2 1/2" screws, 3 1/2" screws
- skid ties
- 6d nails

Tar paper/ Asphalt shingles

Doors – where used –

Materials

- L - 4 pieces of 1×8 lumber - 132" long, 2 pieces - 215 1/4" long TRIMS
- M - 2 pieces of 1×4 lumber - 87 1/2" long, 1 piece - 79" long JAMBS
- N - 2 pieces of 1×4 lumber - 36" long, 1 piece - 80 1/2" long, 1 piece - 29" long, 1 piece of T1-11 siding - 36"x87 1/2" long DOORS

Bill of materials-

- 4 pieces of 1×8 lumber - 12'
- 4 pieces of 1×8 lumber - 10'
- 10 pieces of 1×4 lumber - 10'
- 2 1/2" screws, 3 1/2" screws, 1 5/8" screws
- 4d nails, 6d nails
- 2 brad nails, 1 1/5" brad nails
- hinges & latch